

EUROGRIP

THE BIKE TYRE SPECIALIST

2025 PRODUCTS RANGE



PROTORQ EXTREME SPORT

Track & Road tyre for medium displacement motorcycles, designed to offer plug & play sport performances on a street legal tyre with stylish tread pattern. OE on the new Aprilia RS 457.

RIM	SIZE	WHEEL
17	110/70 ZR 17 54W TL	FRONT
	110/70 ZR 17 54W TL APRILIA	FRONT
	140/70 ZR 17 66W TL	REAR
	150/60 ZR 17 66W TL	REAR
	150/60 ZR 17 66W TL APRILIA	REAR



ROADHOUND

SPORT TOURING

Follow the Hound and enjoy the ride on twisty roads, mountain passes, highways and cities. Whether travelling alone or in a company, on a thrilling sport bike, a versatile naked or a comfy tourer, Roadhound dynamical performances will carry you for miles and miles ahead.

RIM	SIZE	WHEEL
17	120/60 ZR 17 (55W) TL	FRONT
	120/70 ZR 17 (58W) TL	FRONT
	160/60 ZR 17 (69W) TL	REAR
	170/60 ZR 17 (72W) TL	REAR
	180/55 ZR 17 (73W) TL	REAR
	190/50 ZR 17 (73W) TL	REAR

RIM	SIZE	WHEEL
17	100/80 - 17 52H TL	F+R
	110/70 - 17 54H TL	F+R
	110/80 - 17 57H TL	FRONT
	120/70 - 17 58H TL	F+R
	130/70 - 17 62H TL	REAR
	130/80 - 17 65H TL	REAR
18	140/70 - 17 66H TL	REAR
	100/90 - 18 56H TL	FRONT
	130/70 - 18 63H TL	REAR
19	100/90 - 19 57H TL	FRONT



TRAIL HOUND *str* TRAIL ROAD

The road doesn't end where the asphalt stops: a tyre to carry on every surface the adventure seeking rider.

RIM	SIZE	WHEEL
17	120/90 - 17 64H TL	REAR
	130/80 - 17 65H TL	REAR
	130/80 R 17 65H TL	REAR
	140/80 R 17 69H TL	REAR
	150/70 R 17 69H TL	REAR
	150/70 R 17 69V TL	REAR
	170/60 R 17 72V TL	REAR
18	150/70 R 18 70V TL	REAR
19	100/90 - 19 57V TL	FRONT
	110/80 R 19 59V TL	FRONT
	120/70 R 19 60V TL	FRONT
21	90/90 - 21 54H TL	FRONT
	90/90 - 21 54V TL	FRONT



TRAIL HOUND SCR

No such time as the present to bring out the classics! Trailhound SCR brings all rides up to speed with the challenges of modern traffic conditions while retaining their original charm.

RIM	SIZE	WHEEL
17	110/70 R 17 54H TL	FRONT
	120/90 - 17 64S TL	REAR
	130/80 R 17 65H TL	REAR
	140/60 R 17 63H TL	REAR
	150/60 R 17 66H TL	REAR
	150/70 R 17 69H TL	REAR
18	100/90 - 18 56H TL	FRONT
	130/70 - 18 63H TL	REAR
19	100/90 - 19 57H TL	FRONT



CLIMBER XC



High performing and easy to use street legal tyres, with enhanced versatility on various terrains. Reversible tread pattern and durable compound allow for increased durability.

RIM	SIZE	WHEEL
18	110/100 - 18 64M TT MST	REAR
	120/90 - 18 65R TT MST	REAR
	140/80 - 18 70R TT MST	REAR
19	100/90 - 19 57M TT MST	REAR
	110/90 - 19 62M TT MST	REAR
	120/80 - 19 63M TT MST	REAR
21	80/100 - 21 51M TT MST	FRONT
	80/90 - 21 48R TT MST	FRONT
	90/90 - 21 54R TT MST	FRONT
	90/100 - 21 57R TT MST	FRONT



CLIMBER XC-R

Enduro FIM compliant tyre for those looking to challenge others and themselves. Featuring dedicated compounds, structures and knobs design to tackle the toughest terrains.

RIM	SIZE	WHEEL
18	140/80 - 18 70R TT MST MEDIUM	REAR
	140/80 - 18 70R TT MST SOFT	REAR
	140/80 - 18 70R TT MST SUPERSOFT	REAR



CLIMBER MX JUNIOR

Versatile and high-performance tyre for Junior Motocross and Enduro, perfect for usage on a variety of terrains when training, racing or simply having fun.

RIM	SIZE	WHEEL
12	80/100 - 12 50M NHS	REAR
14	60/100 - 14 29M NHS	FRONT
16	90/100 - 16 51M NHS	REAR
19	70/100 - 19 42M NHS	FRONT



TUBES

High quality multipurpose butyl tubes

USE	RIM	MAIN SIZES	VALVE
ROAD	10	3.50, 100/90, 120/70	V1-08-1
		4.00, 4.50, 5.00 ULT	V2-01-1
	12	120/70, 130/70	V1-08-1
	17	2.50, 2.75, 80/90	V1-09-2

USE	RIM	MAIN SIZES	VALVE
OFF ROAD	12	80/100 REINF.	V1-09-2
	14	60/100 REINF.	V1-09-2
	16	90/100 REINF.	V1-09-2
	18	120/90, 140/80 HD	V1-09-2
	19	70/100 REINF.	V1-09-2
		100/90, 110/90 HD	V1-09-2
	21	80/100, 90/90 HD	V1-09-2

Nominal thicknesses: street 1,5mm, REINF/ULT 2,5mm, HD 4mm



A trustworthy companion for every environment: city, highways, country roads. Good dynamical performances on any surface: safety grip, comfort, handling. Enhanced durability and puncturing resistance.

RIM	SIZE	WHEEL	RIM	SIZE	WHEEL
10	3.00 - 10 50J TL REINF	F+R	14	80/80 - 14 43S TL REINF	F+R
	3.50 - 10 59J TL REINF	F+R		90/80 - 14 49S TL REINF	F+R
	90/90 - 10 50J TL	F+R		90/90 - 14 46S TL	F+R
	100/80 - 10 53L TL	F+R		100/80 - 14 54S TL	F+R
	100/90 - 10 56J TL	F+R		100/90 - 14 57P TL REINF	REAR
	120/70 - 10 54L TL REINF	F+R		110/70 - 14 56S TL REINF	F+R
	120/90 - 10 66L TL	F+R		110/80 - 14 59S TL REINF	F+R
	130/70 - 10 59L TL REINF	F+R		120/70 - 14 55S TL	FRONT
11	130/90 - 10 61L TL	F+R	15	120/80 - 14 58S TL	F+R
	110/70 - 11 45L TL	F+R		140/60 - 14 64S TL REINF	REAR
	120/70 - 11 56L TL REINF	F+R		140/70 - 14 68S TL REINF	REAR
	90/90 - 12 54P TL REINF	F+R		150/70 - 14 66S TL	REAR
12	100/90 - 12 59P TL	FRONT	16	120/70 - 15 56S TL	FRONT
	110/70 - 12 47P TL	F+R		130/80 - 15 63S TL	REAR
	110/90 - 12 64P TL	F+R		80/80 - 16 45S TL REINF	FRONT
	120/70 - 12 51S TL	F+R		80/90 - 16 43S TL	F+R
	120/80 - 12 65S TL	F+R		90/80 - 16 51S TL REINF	F+R
	130/70 - 12 62P TL REINF	F+R		100/80 - 16 50P TL	F+R
	140/70 - 12 65P TL REINF	REAR		110/70 - 16 52S TL	F+R
	110/70 - 13 48S TL	F+R		120/70 - 16 57S TL	FRONT
13	110/90 - 13 56P TL	FRONT	17	120/80 - 16 60P TL	REAR
	120/70 - 13 53P TL	FRONT		130/70 - 16 61S TL	REAR
	130/60 - 13 60P TL REINF	F+R		130/70 R 16 61S TL	REAR
	130/70 - 13 63P TL REINF	REAR		140/70 - 16 65S TL	REAR
	140/60 - 13 63P TL REINF	REAR		2.50 - 17 43S TT REINF	F+R
	140/70 - 13 61P TL	REAR		2.75 - 17 47S TT REINF	F+R
	150/70 - 13 64S TL	REAR		70/90 - 17 38S TL	F+R
				80/90 - 17 44S TL	F+R
				90/80 - 17 46S TL	F+R
				90/90 - 17 49S TL	F+R



BEE CONNECT UHP

Sportier version of Bee Connect, dedicated to adrenaline lovers and featuring compound and inner structure enhancing dry grip and nimble handling

RIM	SIZE	WHEEL	RIM	SIZE	WHEEL
12	110/70 - 12 47P TL	F+R	14	120/70 - 14 55S TL	FRONT
	120/70 - 12 51S TL	F+R		140/70 - 14 68S TL REINF	REAR
14	130/70 - 12 62P TL REINF	F+R	15	120/70 - 15 56S TL	FRONT
	90/80 - 14 49S TL REINF	F+R	17	90/80 - 17 46S TL	F+R
	110/80 - 14 59S TL REINF	F+R		100/80 - 17 52S TL	F+R



BEE CLASSY DRAGON PRO CONTA 545 BEE MOVING



RIM	SIZE	WHEEL
10	3.00 - 10 50J TL	F+R
	3.50 - 10 59J TL	F+R

RIM	SIZE	WHEEL
17	2.50 - 17 43P TT	F+R
	2.75 - 17 47P TT	F+R

RIM	SIZE	WHEEL
12	120/70 - 12 58P TL REINF	F+R

RIM	SIZE	WHEEL
10	4.00 - 10 79L	F+R
	6PR M+S TT	
	4.50 - 10 80L	F+R
	8PR M+S TT	